Approved For Release 2003/04/29: CA-RDP84-00780R0043p0p00012-p1 p2 p3 p3 p4 p5 p5 p5 p7 p8 p9

FILE Training

DD/S 71-3539

1 4 SEP 1971

MEMORANDUM FOR: Director of Training

REFERENCE

: Memo for DD/S frm DTR dtd 9 Aug 71 subj:

Possible Visit of Congressman Broyhill to the Chamber of Commerce Building (DD/S

71-3175, DTR 6667)

Hugh:

I mentioned the Broyhili matter to Colonel White but in the context of a visit to the space. He agrees that there is probably merit in our surfacing to the Congressman but suggested that any visit should be to a non-classified area. Appearance at some course could certainly provide the vehicle if an appropriate one surfaces.

Protocol would probably dictate that I should be present or in my absence that Bob Wattles should be there.

> loun W. Coffey Deputy Director for Support

DD/S:JWC:llc (10 September 1971)

Distribution:

O - Addressee

1 - DD/S Chrono N- DD/S Subject w/ REF

25X1

## 9 August 1971

MEMORANDUM FOR: Deputy Director for Support

SUBJECT

: Possible Visit of Congressman Broyhill to the

Chamber of Commerce Building

1. As you know, Congressman Broyhill has an office on the ground floor of the Chamber of Commerce Building. It occurred to me in discussing this matter with Jack Maury that some time after we will have moved in September it might be wise if we were to invite Congressman Broyhill to visit our part of the building and brief him generally on the Office of Training. On 5 August Jack Maury advised the DDTR that he had considered my discussion with him and thought it would be wise to brief Congressman Broyhill and even try to time the invitation to coincide with an on-going course which Congressman Broyhill might address.

2. Jack Maury will await our advising him when such a visit would be appropriate, at which time he will extend an invitation to Congressman Broyhill. Should you or any member of your office wish to be present for this briefing when it is finally arranged we will advise you when a date is set.

> HUGH T. CUNNINGHAM Director of Training

25X1